



CADS in beeld.

Portfolio


Centre for Applied Data Science HOGENT

**We add value
to your data.**

Data-architectuur onderzoeksproject.

> verschillende datasets combineren en visualiseren


MyData1										
User_ID	Device_ID	Ring_ID	MM level	SCR/min	SCL	Step count	aa	Time_ISO	Time_UNIX	
1701	8b125a97dd3a7956	CA-54:A6:D5:27:14	100	7	3.90625	2	128	2020-07-07T09:03:00.000Z	1594112580	
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	100	7	3.90625	2	128	2020-07-07T09:03:00.000Z	1594112580	
1701	8b125a97dd3a7956	CA-54:A6:D5:27:14	100	6	5.208333333333333	7	128	2020-07-07T09:04:00.000Z	1594112640	
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	100	6	5.208333333333333	7	128	2020-07-07T09:04:00.000Z	1594112640	
1701	8b125a97dd3a7956	CA-54:A6:D5:27:14	100	4	7.8125	7	128	2020-07-07T09:05:00.000Z	1594112700	
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	100	4	7.8125	7	128	2020-07-07T09:05:00.000Z	1594112700	
1701	8b125a97dd3a7956	CA-54:A6:D5:27:14	100	9	1.2019230769230769	9	128	2020-07-07T09:06:00.000Z	1594112760	
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	100	9	1.2019230769230769	9	128	2020-07-07T09:06:00.000Z	1594112760	
1701	8b125a97dd3a7956	CA-54:A6:D5:27:14	100	12	1.953125	4	128	2020-07-07T09:07:00.000Z	1594112820	
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	100	12	1.953125	4	128	2020-07-07T09:07:00.000Z	1594112820	
1701	8b125a97dd3a7956	CA-54:...	zorggroent1							112880
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	account-data-46902209-3a7f9d55-71ca-4ba5-a339-523eb2a7db25.json							112880
1701	8b125a97dd3a7956	CA-54:...	account-profile-46902209-bf158838-463f-4b53-873b-5b9f7ad410be.json							112940
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	calendar-items-46902209-47a2b9ec-c178-4b02-9f29-4b04f587611e.json							112940
1701	8b125a97dd3a7956	CA-54:...	favourite-targets-46902209-f248cb31-d562-422b-ab86-25d5d951b45d.json							113000
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	planned-route-46902209-d8003120-a836-416d-9082-c72ae46498f7.json							113000
1701	8b125a97dd3a7956	CA-54:...	products-devices-46902209-fdb4db53-6635-4dd7-a5e0-cca767b9bc4e.json							113060
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	programs-eventtrainingsprograms-46902209-37bbb3c0-60aa-4dfe-b945-bee5ae215c65.json							113060
1701	8b125a97dd3a7956	CA-54:...	programs-generaltrainingsprograms-46902209-4cbbf532-128c-4b41-8a3d-ab071a7157de.json							113540
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	programs-personalevents-46902209-96175c1a-39b4-442e-a4f8-138e79b0c4c2.json							113540
1701	8b125a97dd3a7956	CA-54:...	programs-weightprograms-46902209-b4709f34-a7bf-4c59-87d9-ec025e772e1b.json							113600
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	sport-profiles-46902209-53f8a9e8-220c-4a5e-9de8-dfb34c56fcb0.json							113600
1701	8b125a97dd3a7956	CA-54:...	training-session-2020-07-07-4863500881-cb80170a-454a-42e5-8749-b9a143c43211.json							113600
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	training-session-2020-07-07-486692196-6201b442-ce9c-4984-a255-1605ed83d8e3.json							113600
1701	8b125a97dd3a7956	CA-54:...	training-session-2020-07-08-4866984376-58f7b025-694f-45ea-923c-de87d39ef28.json							113600
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	training-session-2020-07-08-4866984481-7681724a-173a-402c-b0c7-8146f4b10502.json							113600
1701	8b125a97dd3a7956	CA-54:...	training-session-2020-07-08-4866984606-616065db-8cc8-4095-b246-157794bf243e.json							113600
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	training-session-2020-07-08-4866984786-eee27b8-18c3-45cb-b203-cca262673d6e.json							113600
1701	8b125a97dd3a7956	CA-54:...	training-session-2020-07-14-4890111906-b7a044b-5395-42d7-97ad-b98a13c5055e.json							113600



MyData2										
User_ID	Device_ID	Ring_ID	MM level	SCR/min	SCL	Step count	aa	Time_ISO	Time_UNIX	
1701	8b125a97dd3a7956	CA-54:A6:D5:27:14	100	7	3.90625	2	128	2020-07-07T09:03:00.000Z	1594112580	
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	100	7	3.90625	2	128	2020-07-07T09:03:00.000Z	1594112580	
1701	8b125a97dd3a7956	CA-54:A6:D5:27:14	100	6	5.208333333333333	7	128	2020-07-07T09:04:00.000Z	1594112640	
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	100	6	5.208333333333333	7	128	2020-07-07T09:04:00.000Z	1594112640	
1701	8b125a97dd3a7956	CA-54:A6:D5:27:14	100	4	7.8125	7	128	2020-07-07T09:05:00.000Z	1594112700	
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	100	4	7.8125	7	128	2020-07-07T09:05:00.000Z	1594112700	
1701	8b125a97dd3a7956	CA-54:A6:D5:27:14	100	9	1.2019230769230769	9	128	2020-07-07T09:06:00.000Z	1594112760	
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	100	9	1.2019230769230769	9	128	2020-07-07T09:06:00.000Z	1594112760	
1701	8b125a97dd3a7956	CA-54:A6:D5:27:14	100	12	1.953125	4	128	2020-07-07T09:07:00.000Z	1594112820	
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	100	12	1.953125	4	128	2020-07-07T09:07:00.000Z	1594112820	
1701	8b125a97dd3a7956	CA-54:...	zorggroent1							112880
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	account-data-46902209-3a7f9d55-71ca-4ba5-a339-523eb2a7db25.json							112880
1701	8b125a97dd3a7956	CA-54:...	account-profile-46902209-bf158838-463f-4b53-873b-5b9f7ad410be.json							112940
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	calendar-items-46902209-47a2b9ec-c178-4b02-9f29-4b04f587611e.json							112940
1701	8b125a97dd3a7956	CA-54:...	favourite-targets-46902209-f248cb31-d562-422b-ab86-25d5d951b45d.json							113000
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	planned-route-46902209-d8003120-a836-416d-9082-c72ae46498f7.json							113000
1701	8b125a97dd3a7956	CA-54:...	products-devices-46902209-fdb4db53-6635-4dd7-a5e0-cca767b9bc4e.json							113060
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	programs-eventtrainingsprograms-46902209-37bbb3c0-60aa-4dfe-b945-bee5ae215c65.json							113060
1701	8b125a97dd3a7956	CA-54:...	programs-generaltrainingsprograms-46902209-4cbbf532-128c-4b41-8a3d-ab071a7157de.json							113540
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	programs-personalevents-46902209-96175c1a-39b4-442e-a4f8-138e79b0c4c2.json							113540
1701	8b125a97dd3a7956	CA-54:...	programs-weightprograms-46902209-b4709f34-a7bf-4c59-87d9-ec025e772e1b.json							113600
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	sport-profiles-46902209-53f8a9e8-220c-4a5e-9de8-dfb34c56fcb0.json							113600
1701	8b125a97dd3a7956	CA-54:...	training-session-2020-07-07-4863500881-cb80170a-454a-42e5-8749-b9a143c43211.json							113600
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	training-session-2020-07-07-486692196-6201b442-ce9c-4984-a255-1605ed83d8e3.json							113600
1701	8b125a97dd3a7956	CA-54:...	training-session-2020-07-08-4866984376-58f7b025-694f-45ea-923c-de87d39ef28.json							113600
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	training-session-2020-07-08-4866984481-7681724a-173a-402c-b0c7-8146f4b10502.json							113600
1701	8b125a97dd3a7956	CA-54:...	training-session-2020-07-08-4866984606-616065db-8cc8-4095-b246-157794bf243e.json							113600
1701	8b125a97dd3a7956	D9:1E:61:58:3B:2B	training-session-2020-07-08-4866984786-eee27b8-18c3-45cb-b203-cca262673d6e.json							113600
1701	8b125a97dd3a7956	CA-54:...	training-session-2020-07-14-4890111906-b7a044b-5395-42d7-97ad-b98a13c5055e.json							113600

Advies, ontwerp en realisatie van online bevestigingen.

- > ontwerp en revisie van de vragenlijst
- > advies bij de organisatie van de online survey
- > opzetten en realiseren van de bevestiging
- > rapportering op hoofd- en subniveaus




Advies open source software voor kwalitatieve data-analyse.

> advies over software

> check veiligheid aangeboden server

> virtualisatie met Docker en hosting op eigen server



The screenshot shows the Taguette website with a dark blue header containing the logo and navigation links: Home, About, Install, Guides, Try it, GitHub, Twitter, and Facebook. The main content area is white and titled 'Self-hosting TAGUETTE'. It explains that Taguette can be run in two ways: locally on a machine or on a server. It then provides instructions for using Docker, including commands to run the container and mount a volume. Next, it describes a 'Native' installation on a server, requiring Python 3.5 and Calibre, and provides a series of terminal commands to set up the environment. Finally, it discusses the configuration file, its location, and how to edit it, as well as options for changing the port or using a proxy server.

TAQUETTE Home About Install Guides Try it GitHub Twitter Facebook

Self-hosting TAGUETTE

Taguette can be run in two separate ways:

- On your machine, after [installing it](#). This requires no complex setup, and your data never has to leave your machine!
- On a server. This is more difficult to set up, but users can then use that installed version with nothing more than their web browser! We host a publicly available Taguette server at app.taguette.org at the moment, so you can feel free to use that. If you want to deploy your own server for your organization, read on!

Using Docker

If you so choose, you can simply run the [quay.io/remram44/taguette](#) Docker image. You will be prompted for an 'admin' password the first time. You can persist the data by mounting a volume over `/data`, like so:

```
docker run --rm quay.io/remram44/taguette default-config >/srv/taguette/config.py
edit /srv/taguette/config.py # Edit configuration file, see below
docker run -ti -p 80:7465 -v /srv/taguette:/data --restart=always quay.io/remram44/taguette server /data/conf
```

"Native" installation on a server

You need Python 3.5 or better to run Taguette. Simply run `pip install taguette` to install the software. To be able to import non-HTML documents, you also need Calibre installed (specifically, the `ebook-convert` command).

Using a virtual environment is recommended. Example installation on Ubuntu:

```
apt update
apt install calibre python3.5 virtualenv
virtualenv --python=python3.5 /srv/taguette
. /srv/taguette/bin/activate
pip install taguette
taguette default-config >config.py
edit config.py # Edit configuration file, see below
taguette --no-browser server config.py
```

Configuration file

In either case, running the server requires a configuration file. This file contains important information, such as email server and addresses, the port number to listen on, which database to use, whether registration of new accounts is enabled, etc.

You can make Taguette print a configuration file for you to edit using `taguette default-config`.

You might want to change the `PORT` to `80`, or better yet configure a web-server to act as a proxy, see below.

Using a proxy server

For performance or security reasons, or simply because you want to host multiple sites on your machine, you might want to put a web-server (such as [nginx](#) or [Apache](#)) in front of Taguette. That server will then simply relay connections

Text mining – integrated reporting.

> Vraag naar script voor tekst mining omgezet in studentenproject

